Breastfeeding Initiation

Breastfeeding Initiation

•Most recent data (2012): 96.5 per 100 births, including 23,993 newborns.

•Trend over time: 2003-12: rising

Breastfeeding initiation, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	95.5	94.9	96.0	23503
MOTHER'S AGE				,
10-17	88.3	83.4	93.4	247
18-24	92.4	91.1	93.8	3675
25-34	96.2	95.5	96.9	13834
35-44	96.1	95.0	97.2	5649
45+	92.2	84.0	101.0	92
RACE/ETHNICITY				
AIAN	86.8	81.1	92.9	170
Asian	96.7	95.4	97.9	4463
Black	91.9	90	93.8	1868
Hispanic	95.6	94.1	97.0	3315
Multiple	93.5	90.7	96.4	838
NHPI	84.8	80.7	89.0	321
White	96.1	95.4	96.8	15520
NEIGHBORHOOD POVERTY				
High	93.4	92.1	94.8	3706
Medium	95.5	94.8	96.2	14932
Low	97.1	95.9	98.4	4815
REGION				
East	97.3	96.2	98.4	5977
North	96.7	94.3	99.0	1309
Seattle	97.1	96.1	98.1	6882
South	93.1	92.3	94.0	9285

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = per 100 live births.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Breastfeeding initiation King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Birth Certificates.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = per 100 live births.

------| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to proceed confidentiality and/or report reliable rates. § Too few cases to meet precision standard, interpret with caution.

Breastfeeding initiation by comparison areas


The Healthy People 2020 Objective for breastfeeding initiation is 82%.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2011	79.2	N/A	N/A
WA State	2012	93.5	92.9	94.2
King County	2012	96.5	95.2	97.7

Source: WAState DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015. ^Rate = per 100 live births. N/A: Not available.

CI is 95% Confidence Interval.

Breastfeeding initiation by comparison areas



Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

^Rate = per 100 live births.

|------| Confidence interval shows range that includes true value 95% of the time.

Breastfeeding initiation by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	95.5	94.9	96.0	23503
Aubum	91.2	88.5	94.0	863
Aubum-North	92.2	88.6	96.0	475
Aubum-South	90	86.0	94.1	387
Bear Creek/Carnation/Duvall	96.8	93.3	100.5	564
Bellevue	97.2	95.0	99.4	1517
Bellevue-Central	96.8	93.2	100.5	552
Bellevue-NE	97.2	93.1	101.4	425
Bellevue-South	97.5	92.1	103.1	245
Bellevie-West	97.6	92.7	102.7	295
Black Diamond/Enumclaw/SE County	92.8	88.8	96.9	414
Bothell/Woodinville	97.1	93.0	101.4	415
Burien	93.7	90.6	97.0	661
				+
Covington/Maple Valley	94.8	91.5	98.2	613
Des Moines/Normandy Park	93.3	89.3	97.4	407
East Federal Way	92.2	88.2	96.4	395
Fairwood	95.0	90	100.2	269
Federal Way	89.9	87.6	92.2	1176
Fed Way-Central/Military Rd	89.5	86.6	92.4	753
Fed Way-Dash Point/Woodmont	90.6	86.8	94.5	423
Issaquah	97.7	93.8	101.8	462
Kenmore/LFP	96.4	92.1	100.9	372
Kent	93.6	91.7	95.6	1775
Kent-East	93.6	89.8	97.5	464
Kent-SE	93.9	91.0	96.8	839
Kent-West	93.3	89.6	97.1	472
Kirkland	97.2	94.6	99.9	1065
Kirkland	97.4	94.0	100.9	626
Kirkland North	97.0	93.0	101.1	439
Mercer Isle/Pt Cities	98.7	92.4	105.3	183
Newcastle/Four Creeks	96.1	91.0	101.4	270
North Highline	93.7	88.7	98.9	263
Redmond	98.0	95.2	100.9	892
Renton	94.9	92.8	97.0	1648
Renton-East	95.7	91.9	99.6	478
Renton-North	95.5	91.6	99.5	450
Renton-South	94.0	90.9	97.1	720
Sammamish	97.5	93.7	101.5	485
SeaTac/Tukwila	93.3	90.3	96.4	744
Seattle	97.1	96.1	98.1	6882
Ballard	98.4	95.1	101.8	653
Beacon/Gtown/S.Park	95.8	92.2	99.6	523
Capitol Hill/E.lake	97.7	93.2	102.5	346
Central Seattle	96.5	92.8	100.3	509
Delridge	96.2	92.4	100.1	485
Downtown	95.4	90.5	100.6	281
Fremont/Greenlake	97.9	94.3	101.6	564
NE Seattle	97.6	94.2	101.0	623
North Seattle	96.7	93.2	100.3	574
NW Seattle	97.6	93.9	101.3	544
QA/Magnolia	98.7	95.1	102.4	565
SE Seattle	94.8	91.4	98.3	598
West Seattle	98.2	94.8	101.7	618
Shoreline	96.5	92.8	100.3	522
Snoqualmie/North Bend/Skykomish	96.1	92.6	99.8	539
Vashon Island	98.6	92.6 87.5	110.8	57
Comparisons:	90.0	07.5	110.6] 3/

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

'Rate = per 100 live births.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.


Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Breastfeeding initiation by health reporting areas King County, 2008-2012 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.
^Rate = per 100 live births.

Breastfeeding initiation King County, 2003-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
01/15

